## **AMENDMENTS TO THE CLAIMS**

## 1. (Canceled)

- **2.** (Original) A fullerene derivative fine wire composed of acicular crystal of fullerene derivative and fullerene.
- 3. (Currently Amended) The fullerene derivative fine wire of claim  $\frac{1 \text{or }}{2}$ , wherein the fullerene derivative is selected from the group consisting of diethyl ester malonate derivative of  $C_{60}$ , N-methyl pyrrolidine derivative of  $C_{60}$ , ferrocene derivative of  $C_{60}$ , and platinum derivative of  $C_{60}$ .
- 4. (Currently Amended) The fullerene derivative fine wire of any of claims 1 to 3 claim 2 or 3, wherein the acicular crystal is monocrystalline.

## 5. (Canceled)

- 6. (Original) A manufacturing method of fullerene derivative fine wire composed of acicular crystal of fullerene derivative and fullerene, being a manufacturing method of fullerene derivative fine wire comprising at least the steps of preparing a solution by dissolving fullerene derivative and fullerene in a first solvent, adding a second solvent of lower fullerene derivative dissolving ability than the first solvent to this solution, forming a liquid-liquid interface between the solution and the second solvent, and depositing the fullerene derivative fine wire on the liquid-liquid interface.
- 7. (Currently Amended) The manufacturing method of fullerene derivative fine wire of claim 5 or 6, wherein the fullerene derivative is selected from the group consisting of diethyl ester malonate derivative of  $C_{60}$ , N-methyl pyrrolidine derivative of  $C_{60}$ , ferrocene derivative of  $C_{60}$ , and platinum derivative of  $C_{60}$ .

- 8. (Currently Amended) The manufacturing method of fullerene derivative fine wire of any of claims 5 to 7 claim 6 or 7, wherein the first solvent is at least one kind selected from the group consisting of benzene, toluene, xylene, hexane, and pentane.
- 9. (Currently Amended) The manufacturing method of fullerene derivative fine wire of any of claims 5 to 8 claim 6 or 7, wherein the second solvent is selected from the group consisting of methyl alcohol, ethyl alcohol, n-propyl alcohol, isopropyl alcohol, butyl alcohol, and pentanol.